

April 5, 2016

BEACH ADVISORY REMOVED

North Shore Park bacteria tests below unsafe level



Contact: Tammy Yzaguirre, Communications Specialist

Florida Department of Health in Lee County

Tammy.Yzaguirre@flhealth.gov

850-519-5728

Lee County, Fla. – The Florida Department of Health in Lee County (DOH-Lee) is removing its advisory about high bacteria levels at North Shore Park. Tests completed today for Enterococcus bacteria in water samples taken March 31, 2016 showed safe levels for swimming and wading.

North Shore Park, 13001 N. Cleveland Ave., North Fort Myers is located at the foot of the US 41 Bridge and used primarily by boaters and anglers.

Enterococcus bacteria normally inhabit the intestinal tract of humans and animals. The presence of an elevated concentration of these bacteria is an indicator of pollution, which may come from storm water runoff, pets, wildlife or sewage.

For more information call (239) 274-2200 or go to <http://lee.floridahealth.gov>.

About the Florida Department of Health

The department works to protect, promote and improve the health of all people in Florida through integrated state, county and community efforts.

Follow us on Twitter at [@HealthyFla](https://twitter.com/HealthyFla) and on [Facebook](https://www.facebook.com/HealthyFla). For more information about the Florida Department of Health please visit www.FloridaHealth.gov.